
North America's Leader in Hazardous Material Information Management
1905 Aston Avenue, Carlsbad, CA 92008
Phone (800) 451-8346 Fax (760) 602-8888

MSDS PRODUCT INFORMATION

Date: 10/07/2005
To: MSDS Requester
From: 3E Company
Subject: The MSDS you have requested

☐ MSDS NOT REQUIRED

In response to your request for a Material Safety Data Sheet, according to the OSHA Hazard Communication Standard (Right-to-Know), the following item is an article. Articles are defined in 29 CFR 1910.1200(c). Products such as Drugs, cosmetics, food, or alcoholic beverages, wood or wood products, and tobacco or tobacco products, as defined in 29 CFR 1910.1200(b)(6), are exempt from the Hazard Communication Standard. Items that are considered articles, as defined in 29 CFR 1910.1200(c), are also exempt from this Standard. Therefore, the manufacturer is not required to provide an MSDS for this product.

☒ MSDS DISCONTINUED PRODUCT

In response to your request for a Material Safety Data Sheet, the manufacturer has discontinued the product listed below. The MSDS Attached is the most current version, or an MSDS is no longer available.

☐ MSDS BEST COPY AVAILABLE

The MSDS attached is the best copy available from the manufacturer.

☐ MANUFACTURER NO LONGER IN BUSINESS

In response to your request for a Material Safety Data Sheet, a current MSDS could not be obtained for this product. It has been determined that the manufacturer listed below is no longer in business. A current address and phone number could not be located.

Manufacturer: Dutch Boy Group

Product Name: Dutch Boy Aluminum Siding Wash (DISCONTINUED)

M A T E R I A L S A F E T Y D A T A S H E E T

DUTCH BOY ALUMINUM SIDING WASH

Page: 1

PRODUCT NAME: DUTCH BOY ALUMINUM SIDING WASH
 PRODUCT CODE: CSG: DBWASH
 PRODUCT CLASS: LIQUID CLEANING COMPOUND

HMIS CODES: H F R P
 1 0 0 B

===== SECTION I - MANUFACTURER IDENTIFICATION =====

MANUFACTURER'S NAME: CLEANING SOLUTIONS GROUP
 ADDRESS : SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.
 1354 OLD POST ROAD
 HAVRE DE GRACE, MD 21078

EMERGENCY PHONE : 800-522-3556

CHEMTREC PHONE : 800-424-9300

INFORMATION PHONE : 410-939-1234

DATE PRINTED : 01/21/97

NAME OF PREPARER : TECHNICAL DEPARTMENT

===== SECTION II - HAZARDOUS INGREDIENTS/SARA III INFORMATION =====

REPORTABLE COMPONENTS	CAS NUMBER	VAPOR PRESSURE mm Hg @ TEMP	WEIGHT PERCENT
# DIPROPYLENE GLYCOL MONOMETHYL ETHER	034590-94-8	55 25°C	5.3
ACGIH TWA 100 ppm 8 HRS; STEL 150 ppm 15 MIN			
OSHA TWA 100 ppm 8 HRS; STEL 150 ppm 15 MIN			

* Indicates toxic chemical(s) subject to the reporting requirements of section 313 of Title III and of 40 CFR 372

Indicates hazardous chemical(s) subject to the reporting requirements of section 312 of Title III and of 40 CFR 370

===== SECTION III - PHYSICAL/CHEMICAL CHARACTERISTICS =====

BOILING POINT : 212°F
 VAPOR DENSITY: HEAVIER THAN AIR
 EVAPORATION RATE: SLOWER THAN WATER
 APPEARANCE : COLORLESS LIQUID
 VOLATILE : 86.89%

SPECIFIC GRAVITY (H2O=1): 1.02
 VAPOR PRESSURE : NOT DETERMINED
 SOLUBILITY IN WATER: COMPLETELY
 ODOR : ODORLESS
 PH : 7.0 - 8.0

===== SECTION IV - FIRE AND EXPLOSION HAZARD DATA =====

FLASH POINT : NONE
 FLAMMABLE LIMITS IN AIR BY VOLUME- LOWER: 1.1
 FLASH METHOD: SETA FLASH
 UPPER: 14

EXTINGUISHING MEDIA: FOAM, CO2, WATER FOG

SPECIAL FIREFIGHTING PROCEDURES: SPRAY WATER ON CARTONS INVOLVED IN FIRE TO KEEP THEM FROM IGNITING. WEAR SELF-CONTAINED BREATHING APPARATUS DUE TO THE POSSIBLE TOXIC FUMES FROM PLASTIC CONTAINERS AND OR THE VAPORIZATION OF POTENTIALLY HARMFUL CHEMICALS. (SEE SECTION II)

UNUSUAL FIRE AND EXPLOSION HAZARDS: AREA WILL BECOME SLIPPERY IF MATERIAL IS RELEASED.

===== SECTION V - REACTIVITY DATA =====

STABILITY: STABLE

CONDITIONS TO AVOID: EXTREME HEAT OR FREEZING TEMPERATURES

M A T E R I A L S A F E T Y D A T A S H E E T

DUTCH BOY ALUMINUM SIDING WASH

Page: 2

INCOMPATIBILITY (MATERIALS TO AVOID): ACIDS, STRONG ALKALIES AND OXIDANTS

HAZARDOUS DECOMPOSITION OR BYPRODUCTS: NORMAL PRODUCTS OF COMBUSTION-CARBON DIOXIDE AND CARBON MONOXIDE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

===== SECTION VI - HEALTH HAZARD DATA =====

INHALATION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: NOT CONSIDERED A HAZARD

SKIN AND EYE CONTACT HEALTH RISKS AND SYMPTOMS OF EXPOSURE: CAN CAUSE IRRITATION TO EYES, CAUSING CORNEAL DAMAGE. CAN ALSO CAUSE SKIN IRRITATION AND DEFATTING

SKIN ABSORPTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: NO EFFECTS OF EXPOSURE EXPECTED DUE TO ABSORPTION OR CONTACT. MAY POSSIBLE CAUSE IRRITATION OR DERMITITUS IN SOME INDIVIDUALS UPON PROLONGED CONTACT.

INGESTION HEALTH RISKS AND SYMPTOMS OF EXPOSURE: SINGLE DOSE INGESTIONS ARE NOT CONSIDERED HAZARDOUS. EXTREMELY LARGE DOSES COULD CAUSE INJURY.

HEALTH HAZARDS (ACUTE AND CHRONIC): WILL CAUSE ONLY SLIGHT IRRITATION OF SKIN REGARDLESS OF EXTENT OR EXPOSURE

CARCINOGENICITY: NTP CARCINOGEN: No IARC MONOGRAPHS: No OSHA REGULATED: No NOT LISTED

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: EXISTING DERMATOLOGICAL CONDITIONS MAY BE AGGRAVATED BY OVEREXPOSURE

EMERGENCY AND FIRST AID PROCEDURES

IF IN EYES: IMMEDIATELY FLUSH WITH PLENTY OF WARM WATER FOR 15 MINUTES
. WHILE KEEPING EYELIDS APART FOR MAXIMUM IRRIGATION. IF
. IRRITATION PERSISTS CONTACT PHYSICIAN.

IF ON SKIN: WASH OFF WITH LARGE AMOUNTS OF SOAP AND WATER. IF IRRITATION
. PERSISTS CONTACT A PHYSICIAN. WASH CONTAMINATED CLOTHING
. BEFORE RE-USE.

IF INHALED: IF VICTIM COMPLAINS OF HEADACHE, DIZZINESS OR NAUSEA, REMOVE
. VICTIM TO FRESH AIR. IF BREATHING BECOMES DIFFICULT OR
. CONDITION PERSISTS, CONTACT A PHYSICIAN.

IF INGESTED: DRINK NO MORE THEN 2 GLASSES OF WATER AND INDUCE VOMITING.
. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS VICTIM.
. SEEK MEDICAL ATTENTION

===== SECTION VII - PRECAUTIONS FOR SAFE HANDLING AND USE =====

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: DIKE AREA TO CONTAIN MATERIAL. AREA MAY BECOME SLIPPERY. ABSORB PRODUCT ONTO POROUS MATERIAL SUCH AS SAND, DIATOMACEOUS EARTH OR COMMERCIAL ABSORBENT MATERIAL. SHOVEL UP INTO LEAK PROOF CONTAINERS.

WASTE DISPOSAL METHOD: CONSULT LOCAL, STATE AND OR FEDERAL AUTHORITIES FOR PROPER DISPOSAL

M A T E R I A L S A F E T Y D A T A S H E E T

UTCH BOY ALUMINUM SIDING WASH

Page: 3

RECAUTIONS TO BE TAKEN IN HANDLING AND STORING: DO NOT STORE NEAR ACIDS, OXIDIZERS, ALKALIES AND BASE METALS. KEEP FROM EXCESSIVE HEAT AND KEEP FROM FREEZING. DO NOT STORE NEAR CONSUMABLES. KEEP OUT OF REACH OF CHILDREN.

OTHER PRECAUTIONS: READ AND FOLLOW ALL DIRECTIONS. USE IN A MANNER CONSISTENT WITH PRODUCT INTENT.

===== SECTION VIII - CONTROL MEASURES =====

RESPIRATORY PROTECTION: NONE NEEDED FOR NORMAL USE

VENTILATION: NORMAL VENTILATION ADEQUATE

PROTECTIVE GLOVES: CHEMICAL RESISTANT GLOVES RECOMMENDED

EYE PROTECTION: SAFETY SPLASH GOGGLES RECOMMENDED

OTHER PROTECTIVE CLOTHING OR EQUIPMENT: SOURCE OF WATER FOR WASHING IS RECOMMENDED

WORK/HYGIENIC PRACTICES: WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

===== SECTION IX - REGULATORY INFORMATION =====

ALL INGREDIENTS OF THIS PRODUCT ARE LISTED ON THE US TOXIC SUBSTANCE CONTROL ACT (TSCA) INVENTORY.

HAZARD CLASS: NOT APPLICABLE

UN/NA#: NOT APPLICABLE

DOT LABEL: COMPOUND, CLEANING

Other ingredients from Section II are subject to the following reporting requirements:

- A - The Massachusetts Hazardous Substance List
- J - The New Jersey Right-to-Know Hazardous Substance List
- A - The Pennsylvania Hazardous Substance List

===== SECTION X - DISCLAIMER =====

THE INFORMATION CONTAINED HEREIN HAS BEEN DEVELOPED BASED UPON CURRENT AVAILABLE SCIENTIFIC DATA. NEW INFORMATION MAY BE DEVELOPED ON TIME TO TIME WHICH MAY RENDER THE CONCLUSIONS OF THIS REPORT OBSOLETE. THEREFORE, NO WARRANTY IS EXTENDED OR IMPLIED AS TO THE RELIABILITY OF THIS INFORMATION TO THE USERS INTENDED PURPOSE OR FOR THE CONSEQUENCES OF ITS USE OR MISUSE.